



**C**ONTAINER  
**HUB**  
TRADING L.L.C


[www.containerhubtrading.com](http://www.containerhubtrading.com)

# FOLDING CONTAINER HOUSE




**Exterior Dimensions**

**\*W2.5M \*L5.8M \*H2.45M**



**Interior Dimensions**

**\*W2.37M \*L5.65 M \*H2.3-M**



[www.containerhubtrading.com](http://www.containerhubtrading.com)

# PRODUCT FEATURES

- EASY TO INSTALL AND FOLD
- EASILY MOVABLE
- HARDCORE MATERIAL TO WITHSTAND ANY CLIMATE
- BETTER ACCESSIBILITY
- GALVANIZED FRAME+TWO LAYERS PAINTING,HARD TO GET RUSTED
- MADE 50MM ROCK WOOL SANDWICH PANEL IS STANDARD MATERIAL FOR WALL
- OPTIONAL THICKNESS 75MM,100MM.OPTIONAL INSULATION GLASS WOOL,EPS,POLYURANTHANE

# TECHINCAL SPECIFICATION

- WIND LOAD:170KM/H
- SNOW LOAD:20CM DRY SNOW
- SEISMIC LOAD:7 GRADE
- BEARING LOAD:150-200KG/M2

## FLOOR

- MGO BOARD WORKS AS THE BOTTOM FLOOR TILE
- PVC TILE,CARPET OR WOOD FLOOR AND BE ADDED ON TOP OF MGO BOARD

## FRAME

- TOP :170\*2.0MM THICKNESS FRAME+TWO LAYERS PAINT
- BOTTOM:270\*2.5MM THICKNESS FRAME+TWO LAYERS PAINT
- COLUMN:155\*2MM THICKNESS FRAME+TWO LAYERS PAINT

## ROOF AND CEILING

- TOP ROOF PANEL:0.8MM THICKNESS STEEL PLATE
- CEILING:50MM ROCK WOOL SANDWICH PANEL.

# ACTUAL IMAGES



[www.containerhubtrading.com](http://www.containerhubtrading.com)

## FOLDED CONTAINER IMAGE



- \*Save Shipping cost
- \*Can Load 10x20 feet Foldable container  
in 1x40 HC Container

[www.containerhubtrading.com](http://www.containerhubtrading.com)